

A database of charged cosmic rays

D. Maurin¹, F. Melot¹, and R. Taillet²

¹ Laboratoire de Physique Subatomique et de Cosmologie (LPSC), Université Joseph Fourier Grenoble 1/CNRS/IN2P3/INPG, 53 avenue des Martyrs, 38026 Grenoble, France

² Laboratoire d'Annecy-le-Vieux de Physique Théorique (LAPTh), UMR 5108 Université de Savoie - CNRS, BP 110, 74941, Annecy-le-Vieux, France

Received / Accepted

ABSTRACT

Aims. This paper gives a description of a new on-line database (<http://lpsc.in2p3.fr/cosmic-rays-db>) and associated on-line tools (data selection, data export, plots, etc.) for charged cosmic-ray measurements. The experimental setups (type, flight dates, techniques) from which the data originate are included in the database, along with the references to all relevant publications.

Methods. The database relies on the MySQL5 engine. The web pages and queries are based on PHP, AJAX and the jquery, jquery.cluetip, jquery-ui, and table-sorter third-party libraries.

Results. In this first release, we restrict ourselves to Galactic cosmic rays with $Z \leq 30$ and a kinetic energy per nucleon up to a few tens of TeV/n. This corresponds to more than 200 different sub-experiments (i.e., different experiments, or data from the same experiment flying at different times) in as many publications.

Conclusions. We set up a cosmic-ray database and provide tools to sort and visualise the data. New data can be submitted, providing the community with a collaborative tool to archive past and future cosmic-ray measurements. Any help/ideas to further expand and/or complement the database is welcome (please contact crdatabase@lpsc.in2p3.fr).

Key words. Astroparticle physics - Galaxy: cosmic rays - databases: miscellaneous

1. Introduction

Since the discovery of cosmic rays (CR) a century ago, instrumental capabilities have steadily improved. A large variety of types of experiments (balloon- or satellite-borne, flown on a shuttle, installed on the international space station, or ground-based experiments) and techniques have been used (nuclear emulsions, drift chambers, Cerenkov counters, spectrometers...) to refine our knowledge of the CR composition and spectrum.

The presence of heavy $Z < 30$ (Freier et al. 1948a,b), and extremely heavy $Z \geq 30$ elements (Fowler et al. 1967; Blanford et al. 1969) in the cosmic radiation were among the main discoveries related to Galactic CR nuclei, which culminated with the discovery of a few $Z > 90$ events (Fowler et al. 1970; O'Sullivan et al. 1971; Price et al. 1971). Isotopes and in particular the radioactive CR clocks were identified, with more or less difficulties due to their decreasing abundance and mass separation with increasing atomic number: ^{10}Be (Webber et al. 1973c), ^{36}Cl (Young et al. 1981), ^{26}Al (Webber 1982), and ^{54}Mn (Webber et al. 1979). CR leptons were identified in the early 60's, with the first measurement of electrons [also called negatrons at that time] (Earl 1961; Meyer & Vogt 1961), and of the positron fraction (de Shong et al. 1964; Hartman et al. 1965; Agrinier et al. 1965; Daniel & Stephens 1965b). Anti-protons are $\sim 10^{-4}$ times less abundant than protons and were only observed in the late 70's (Bogomolov et al. 1979; Golden et al. 1979). Anti-deuterons, which are expected to be yet another factor $\sim 10^{-4}$ below (Chardonnet et al. 1997), are still to be detected: the best limit is given by the BESS balloon (Fuke et al. 2005) [for limits on anti-helium, see Abe et al. (2012a)], and is still three or-

ders of magnitude above what is required to reach the expected astrophysical production. This level could be within reach of the AMS-02 detector on the International Space Station (Aruda et al. 2008; Choutko & Giovacchini 2008) and/or the GAPS balloon-borne experiment (Aramaki et al. 2012). Note that other milestones in CR studies are the discovery of the γ -ray diffuse emissions reported first by Kraushaar et al. (1972) [and studied by the contemporary Fermi-LAT instrument (Ackermann et al. 2012b)], and the first evidence of high-energy CRs from extensive air showers (Auger et al. 1939) [currently studied at the Pierre Auger Observatory (e.g., Abraham et al. 2010)].

Interestingly, most of the even oldest CR measurements are not outdated yet. Indeed, many instruments are designed to focus on specific CR species: neither all instruments have the isotopic resolution capabilities, nor all species have been measured repeatedly. In the last twenty years, efforts have also been more devoted in measuring the CR composition at higher energy than refining the low energy data; this situation is currently changing with the AMS-02 experiment installed on the International Space Station since May 2011. Some old experiments are also useful when one wishes to inspect a possible charge-sign dependence (22 year cycle) of the Solar modulation effect as a function of the Sun polarity, as first proposed by Clem et al. (1996) and further studied in (Clem & Evenson 2002). For all these reasons, we believe it is worth providing an archival database of CR measurements to the community.

CR data are the backbone of Galactic CR propagation studies (e.g., Jones et al. 2001; Maurin et al. 2001; Strong et al. 2007; Evoli et al. 2008). In the last twenty years, anti-protons and positron fraction measurements have also become a strong probe for dark matter indirect searches (Porter et al. 2011; Lavalle & Salati 2012). A database would therefore be useful to any re-

Send offprint requests to: D. Maurin, dmaurin@lpsc.in2p3.fr

searcher in these fields, but also to CR experimentalists who wish to compare their data to previously published ones. Another independent effort to provide a CR database was presented in Strong & Moskalenko (2009). We present here a contextualised and more complete version of the data¹, along with many user-friendly interfaces and tools to use them.

The paper is organised as follows: Sect. 2 describes the database content; Sect. 3 describes the website and available tools. We conclude and comment on possible improvements of the database in Sect. 4. Appendix A provides the rules used by the database to combine CR quantities from a given experiment (e.g., to form quantity A/B from A and B fluxes); App. B gives a summary list of all the experiments/references contained in this first release.

2. Content of the database

In this section, we first describe the information gathered in the database, and the data themselves. We then present how this information is organised in a MySQL framework.

2.1. Definitions

CR data are connected to experiments, analyses, and publications. The first step for creating the database is to define what an experiment is. Then, the need to define a sub-experiment arises because i) an experiment may consist of several detectors, or ii) an instrument may have flown several times, or over distinct periods. Data from a sub-experiment often involve several CR species, the analyses of which are published in one or several papers. For the sake of clarity, the following keywords/definitions are used in the database:

Experiment Name associated with the instrument (*CREAM*, *AMS*). To identify unnamed balloons, we use the syntax *Balloon* (YYYY), and a further distinction is made if a balloon was flown several times: a comma-separated list of years *Balloon* (1966,1967) is used if the data were analysed and published for each flight; a plus-separated list *Balloon* (1967+1968) is used if the data resulted from the combined analysis of the flights².

Sub-experiment Sub-detector name or experiment name concatenated with the flight number and data taking period (YYYY/MM), with start and stop dates separated by a hyphen for durations over a month³: *Balloon* (1972/07), *CREAM-I* (2004/12-2005/01), *CREAM-II* (2005/12-2006/01), *Ulysses-HET* (1990/10-1997/12).

Cosmic-ray quantity Combination (sum, ratio, etc.) of measured CR species⁴. It can be an elemental (e.g., C), isotopic

(e.g., ¹H), or leptonic (e.g., e^-) flux, or any ratio of these quantities such as B/C, ¹⁰Be/Be, $e^+/(e^- + e^+)$, etc. The keyword *SubFe* is used for the group $Z = 21 - 23$, but no other charge group is defined for now.

Energy axis Detectors often measure the CR total energy E_{tot} or rigidity $\mathcal{R} = pc/Ze$ (p is the momentum, Z the charge, c the speed of light, and e the electron charge). Data are also very often presented as a function of the kinetic energy $E_k = E_{\text{tot}} - m$ (m is the CR mass) or the kinetic energy per nucleon $E_{k/n} = E_k/A$ (A is the atomic number). In the database, we allow four representations of the energy unit and axis: [GeV] for E_{tot} , [GV] for $\mathcal{R}$, [GeV] for E_k , and [GeV/n] for $E_{k/n}$.

Publication Refereed or non-refereed reference (journal or conference proceedings) providing CR quantity data from (sub-)experiments. A publication is usually attached to a single (sub-)experiment and it contains different CR measurements, but there are a few exceptions. Over time, some of these publications may be superseded by newer analyses: a specific entry of the database allows to keep track of deprecated analyses and references.

Data CR quantity measurement and uncertainties at one or several energy bins. Sect. 2.2 gives a complete description of a data entry.

The fact that combinations of CR quantities are themselves CR quantities introduce a subtleties in the choice of how to handle the database. One could be tempted to fill the database with all useful combinations of data (e.g., the often used B/C ratio) from published quantities (e.g., B and C fluxes). However, the number of combinations that can be formed is large (for $Z < 30$, as many elements and about a hundred isotopes can be combined), and the procedure to combine the errors on the measurements is not always sound. For these reasons, we decided to fill the database with the published quantities only. We leave the task of extracting the most complete dataset (for a given CR quantity) to the [Data Extraction](#) interface (Sect. 3.2), which combines the data found directly in the database, and those obtained by looking for all combinations of data leading to this quantity (see Sect. 3.2, and also App. A for a discussion of the priority rules and criteria to decide how and when to form new quantities and evaluate their uncertainties).

2.2. Data description and units

The structure of a CR data entry (energy, energy range, measurement and uncertainties) for any measured quantity is as follows:

(E) ‘Central’ energy given in the publication (unit is [GeV] if the energy axis is E_{tot} or E_k , [GV] for $\mathcal{R}$, and [GeV/n] for $E_{k/n}$). If only the bin range (see below) is given in the publication, the geometric mean $\langle E \rangle = \sqrt{E_{\text{min}} E_{\text{max}}}$ is used.

Bin range Energy range (same unit as $\langle E \rangle$). If only $\langle E \rangle$ is given in the publication, $E_{\text{min}} = E_{\text{max}} = \langle E \rangle$.

Value Measured CR quantity in unit of $[(\langle E \rangle \text{ m}^2 \text{ s sr})^{-1}]$ if this is a flux, or unit-less if this is a ratio. The data correspond to top-of-atmosphere (TOA) quantities, i.e. modulated by the Sun’s activity.

Stat Err Statistical error (same unit as *Value*).

Syst Err Systematic error (same unit as *Value*); set to 0 if not given in publication.

capture decay mode is suppressed because CR nuclei are fully stripped of e^- above ~ 0.1 GeV/n).

¹ The data were gathered independently of the data presented in the Strong & Moskalenko (2009) database.

² The naming convention chosen for the experiment and the sub-experiment ensures the many unnamed balloons flown before the 90’s to be uniquely defined.

³ Some of the start and stop dates for balloon flights are not given in the publication and were taken from the STRATOCAT database of stratospheric balloons launched worldwide since 1947 (<http://stratocat.com.ar/globos/indexe.html>). For long-lived instruments, we do not include in the database the excluded time periods (within the start and stop dates) based on the analysis quality criteria (solar flares, high solar activity, instrument stability...) because they are never given in the publication.

⁴ A CR must be a stable species with respect to the confinement time in the Galaxy, i.e. with an effective lifetime $\gtrsim$ kyr (note that the electronic




Fig. 1. Tables and keys of the database MySQL structure (see text for details).

ϕ_{FF} [MV] Solar modulation parameter⁵ in the force-field (FF) approximation (Gleeson & Axford 1968; Gleeson & Urch 1973) as given in the publication (or from Solar modulation dedicated analyses, e.g., Usoskin et al. (2002, 2005, 2011)).

In the database, these values must be filled for each data point from the published data. Whenever available, we used the values given in the publication tables. However, most publications provide none, and the data had to be retrieved from the plots (using the DATAHIEF III software⁶).

2.3. Database structure description

The database engine is MySQL5, hosted at the Laboratoire de Physique and Cosmologie (LPSC) on a backed up server. The structure and keys are shown in Fig. 1 (keys in **exp**, **subexp**, and **publi** were discussed in Sect. 2.1, those in **data** in Sect. 2.2). Each entry in a table is associated with a unique identifier. These identifiers are used to link elements from one table to another (for example, several sub-experiments can be linked to a single experiment). For completeness, all the tables of Fig. 1 are briefly described below:

exp Name, type, web site (if available), and flight date.

subexp Link to the experiment it belongs to, name, description of the apparatus, flight details (launch place and the number of flights for balloons), flight dates, distance to the Sun [AU], and Solar modulation level [MV].

publi Bibliographic reference, web link, publication year, BibTeX⁷ entry (taken from the Astrophysics Data System ADS⁸), and link to other publications (if more recent analyses exist).

subexp_publi Bridge table linking entries from **publi** to one or several entries of **subexp**.

element Name, mass, atomic number, charge, etc. for CR quantities (isotopes, elements, $\bar{p}$, e^- , and e^+).

⁵ The Solar modulation parameter is not a direct product of an experiment analysis, the flight period of the instrument is. This parameter is a useful ingredient for GCR studies, and is generally estimated from the measured TOA fluxes and an assumption about the interstellar flux.

⁶ <http://datathief.org>

⁷ <http://www.bibtex.org>

⁸ <http://cdsads.u-strasbg.fr>

data Type (flux or ratio of **element**), energy axis, energy, bin range, value, statistic and systematic errors.

user Contact details of administrators (persons authorised to change and validate submitted data).

validation Contact details of persons submitting new data (see Sect. 3.3 for the **New Data** interface), validation date, and identity of the person (user) who validated the data.

3. Website, interfaces, and example plots

The CR database website <http://lpsc.in2p3.fr/cosmic-rays-db> is hosted by the LPSC laboratory website, and is based on a LAMP solution⁹. Authentication uses the https protocol to ensure a good level of confidentiality (only administrators own credentials to access protected areas). All web pages are written using the PHP (Hypertext PreProcessor) language, with a global structure made in AJAX (Asynchronous JavaScript and XML). The third-party libraries jquery, jquery-ui, jquery.cluetip, and table-sorter are also used.

The website is based on tabs, in which the user is guided by *HELP* boxes (identified by *question mark* icons). We give below a brief description of the implemented tabs:

WELCOME Quick description and organisation of the database, log of the latest changes, and link to download the database content formatted for the USINE¹⁰ propagation code.

EXPERIMENTS/DATA List of available data sorted by experiment names or dates. A list of experiment acronyms is given.

DATA EXTRACTION Main interface to retrieve data in ASCII files, ROOT¹¹ macros and plots, and BibTeX references for the selection.

ADMIN Shown for authenticated users only: internal checks of the database content, validation of submitted data.

LINKS Standard useful (here GCR-related) web links.

NEW DATA Interface to submit new data which will appear in the database after validation by authorised users.

As underlined previously, native data (i.e. data directly from publications) are listed and accessed from **Experiments/Data** (Sect. 3.1). In the **Data extraction** tab (Sect. 3.2), native data and matching combinations of native data are combined to provide the most complete list of data found for user-selected quantities/criteria. Adding new data is possible from the **New data** tab (Sect. 3.3).

3.1. Data access from EXPERIMENTS/DATA tab

Figure 2 shows a snapshot of the **EXPERIMENTS/DATA** tab (and some enabled actions within this tab). The list of published data is ordered by experiment name or date. For each experiment, the list of sub-experiments is shown and sorted by start time¹². The publication references related to this sub-experiment are then listed along with the quantities measured (older analyses/publications of the same data are indicated). The most useful actions/pop-up informations available for the user are:

⁹ The acronym LAMP refers to a stack of free open source softwares: Linux operating system, Apache HTTP server, MySQL database software, and PHP.

¹⁰ <http://lpsc.in2p3.fr/usine>

¹¹ <http://root.cern.ch>

¹² We refer the reader to Sect. 2.1 for the definition of what is meant by experiment, sub-experiment, publication, etc., and to Sect. 2.3 for the structure of the data in the MySQL frame.




Fig. 2. Snapshot of the **Experiments/Data** tab content (Sect. 3.1). The **HELP** box is activated clicking on the *question mark* icon, and a picture of the instrumental setup (not shown) pops-up when clicking on the *magnifying glass* icon. The *Instrument description* box appears for a mouse-over action on the sub-experiment name. A click on **[data]** pops-up a new window with the data entries and a summary of all the (sub-)experiment/publication informations (not shown).

- experiment description (name, type, official web page);
- sub-experiment description (name, data periods¹³, instrument description [*mouse-over* name], experimental setup picture [*magnifying glass* icon]);
- data for each publication (from a sub-experiment). A click on **[data]** (see Fig. 2) pops-up a window (not shown in the examples): its upper half summarises all the information on the sub-experiment (contained in the database) and gives the ADS link of the reference; the lower half shows the data (see Sect. 2.2 for their format): ratios are sorted first and fluxes second (one can jump directly to the data of interest clicking on one of the *Quantities* suggested in the upper half panel).

By default, CR data for nuclei and anti-nuclei are given as a function of kinetic energy per nucleon, whereas leptons are given as a function of the kinetic energy. Whenever the energy axis is rigidity, the flag **[Rigidity]** is added after the data.

3.2. Selection and tools from **DATA EXTRACTION** tab

Figure 3 shows a snapshot of the selection interface within the tab. A mandatory step is the quantity selection (Flux or ratio selection), for which a few predefined choices are proposed. For a ratio, both the numerator and denominator selection boxes must be filled (auto completion is enabled). The other optional selection criteria (Refine search criteria) are:

- Energy axis: to be selected among EKN, EK, R or Etot¹⁴;

¹³ Full details of the flight dates are given clicking on **[data]**. The start and stop time format is YYYY/MM/DD-hh:mm:ss. A new line is used for each flight.

¹⁴ As already said, most data are published in EKN for nuclei and anti-nuclei, and EK for leptons (very few data are published on several energy axes). No conversion is proposed from one energy axis to another because this operation is impossible for most combination of CR quantities (for instance, elements contain several isotopes of different A, Z, and m that do not translate in a unique value on a new energy axis).




Fig. 3. Snapshot of the **Data extraction** tab interface. In the upper panel, a CR quantity is chosen by means of selection boxes (auto completion enabled). In the lower panel, more search criteria are possible (energy range, list of experiments or sub-experiments, time period, etc.). A tick box allows to add in the search the data points obtained from combinations of ‘native’ data (see App. A). Clicking on the **Extract selection** box pops up the results, as shown in the example Fig. 4.

- Flux rescaling: multiplies the flux values and errors by $\langle E \rangle^a$ (useful for presentation purpose);
- Energy range: restricts the energy range allowed;
- (Sub-)Experiment names: list of comma-separated names (partial names allowed, e.g., *CREAM*, *BESS*);
- Time interval: selects only experiments falling into the selected period (format is YYYY/MM).
- Show also data from combinations: tick box to add in the search the data points obtained from combinations of ‘native’ data (see App. A).

Hitting the **Extract Selection** button pops-up a new window with the data extracted from the user selection. This is shown in Fig. 4, organised in three panels (click on **[hide]**/**[show]** to collapse/expand each panel):

1. Plots and exports for the selection: **Get ROOT Macro**, **Data Files**, **Plot**, and **USINE File** buttons return i) a ROOT executable C++ file `database_plot.C` to re-generate and/or modify the plot¹⁵; ii) a tar-ball `database_plot.tar.gz` of ASCII files containing the data (one file per sub-experiment); iii) a high-resolution image `database_plot.png` of the plot; iv) a USINE-compliant file `database_plot.USINE` (i.e. that can be used as an input of the USINE propagation code).
2. List of experiments found for the selection: summary of the data sorted by (sub-)experiment (name, publication, number of data, etc.). The **Get Bibtex** and **Latex cite** buttons provide respectively a BibTeX file (`bibtex.bib`) to be included in the references, and the text to cite this selection in the L^AT_EX document¹⁶. As for the **Experiments/Data** tab (Sect. 3.1), links to the experiment website and the ADS publication are provided.

¹⁵ Based on the ROOT library <http://root.cern.ch>. To execute, type `root database_plot.C` (the data are hard-coded). The errors displayed correspond to the quadratic sum of statistical and systematic uncertainties.

¹⁶ These files are useful to quickly prepare scientific manuscripts based on L^AT_EX and BibTeX. App. B and the references of this paper were prepared with the full list of references retrieved from the **Get Bibtex** and **Latex cite** buttons in the **Welcome** tab.




Fig. 4. Snapshot of the result of the **Data extraction** operation. This pop-up window appears after the selection step shown in Fig. 3 is completed. Buttons, links, and tables give access to raw data and plots, see text for details.

3. Data for the selection: data in a table (see Sect. 2.2 for the content description) sorted by experiment name or energy. An asterisk denotes the data obtained by combinations of native data of the database (see App. A).

We remind that, with the default search criteria (i.e., none), all analyses of a CR quantity by the same instrument show up in the result as long as they correspond to different data taking (or analysed) periods (i.e., different sub-experiments). Most of the time, these data are independent, but in a few cases, the analysed periods overlap. It happens, for instance, for the *Voyager* data (launched in 1977 and still taking data). In that case, it is up to the user to decide which data sets are relevant for her/his analysis, and exclude it using the (Sub-)Experiment names or Time interval selection box (see Fig. 3).

3.3. New data from the **Add DATA** tab

This tab allows anyone to interactively enter new data. This is an essential part of the database as it provides the community with the possibility to contribute to the completion of the database (either by adding data from new instruments, or adding missing data from older experiments).

Submitting new data consists in two parts: as shown in Fig. 5 (top panel), the first part concerns the submitter identification (contact details). The second part (same figure, middle and bottom panel) is data submission. Four steps must be passed in order. For the first three steps (experiment, sub-experiment, publication), the submitter is left with the choice of selecting her/his entry among those already in the database, or to add a new entry

Adding new data to the CR database

1. Tell us who you are *;
2. Fill and submit data (and instrument-related infos);
3. The data become available after internal validation (a few days later at most).

* The email is used for contact purpose only (it will not appear on the website). The name, address, and institute are used to acknowledge your contribution in the "Welcome" webpage.

Step 1: contact details

First name:

Last name:

Email address:

Institute:

1) Experiment

or

2) Sub-experiment

Experiment must first be filled!

3) Publication

Sub-experiment must first be filled!

4) Data

Publication must first be filled!

4) Data

For the selected publication, the data enabled for upload are the following: ELECTRON+POSITRON

Energy axis: EKN (kinetic energy per nucleon) in GeV/n

Upload data file:

Fig. 5. Snapshots of the user interfaces in the **Add data** tab. The first stage for adding new data is the submitter identification (upper panel). The ordered 4-steps submission process comes next (middle panel). The user has to either select among existing entries, or insert a new one (this pops-up a window with fields to fill), except for the fourth step that concerns the CR data. The latter must be filled one CR quantity at a time (and must belong to the list of quantities declared at the publication step): the bottom panel shows the state of the panel once this step is reached, with the energy axis to select, the data file to upload, and the Graphical check before submission. Note that at all steps, **HELP** buttons exist for most of the fields to fill.

(Insert new button): the latter action pops-up a new window in which the submitter is guided/HELP boxes are provided for each item/to fill the necessary informations, which match the keys of the database structure described in Sect. 2.3 (see also Fig. 1). Each time a new entry is submitted, the submitted element becomes available for further submissions, though it does not appear yet in the database (i.e., in **Experiments/Data** and **Extract data** tabs).

Once the three previous steps are completed, the last action is the submission of the CR data (see bottom panel of Fig. 5). A template file for the required format (and units) of the data is provided (see Sect. 2.2). Only one CR quantity at a time (with as many energy bins as desired) can be submitted. Before the final submission of the data, the **Data graphical check** button pops-up a summary of the uploaded file, along with a plot of the submitted data for a last visual inspection. At this stage, the submission process can still be cancelled if any mistake is spotted.

For each submitted entry (experiment, sub-experiment, publication, data), an email is sent to the administrators of the

database content¹⁷. Validation tools from the [Admin](#) tab are then used (format check, completeness, etc.) to authorise the addition in the database (pending validation, the data are inserted in the database with a ‘not validated’ flag, and do not appear on the web site).

4. Conclusions and future improvements

We have developed a database of charged CRs (<http://lpsc.in2p3.fr/cosmic-rays-db>) that includes e^- , e^+ , $\bar{p}$, and nucleides data up to $Z = 30$ for energies below a few TeV/n. Each CR data is linked to a description of the instrument that measured it (flight dates, picture of the experiment setup, techniques used, etc.) and to the ADS reference in which it was published: this first release contains more than 200 experiments and 200 publications. The data can be extracted according to a selection on the CR quantity, the energy range, the experiments and the epoch of measurement: ASCII files, ROOT macros, plots, and $\text{\LaTeX}$ for the corresponding publications are then readily available.

The possibility to add new data by means of a user-friendly interface enables the database to be a collaborative tool for the CR community, provided enough people take an interest, use it, and help expand it. New data will be added as new results become available (we encourage experimentalists to submit their data once they become public). The database could also be extended to a larger energy domain (data from ground-based detectors $\gtrsim$ TeV/n data) or to heavier species ($Z > 30$). Time series, e.g., low-energy proton, helium and electron data with a monthly or finer time resolution from long-lived high-precision instruments (e.g., AMS-02) could also be very interesting inputs for Solar modulation studies.

We welcome any help to further develop the database. Comments, questions, suggestions, and corrections¹⁸ can be addressed to crdatabase@lpsc.in2p3.fr.

Acknowledgements. We thank our colleagues B. Coste, F. Donato, and A. Putze who contributed to the collection of some of the data gathered in the first release of this database. We thank A. Putze for useful comments on the paper. This work is part of the USINE project (CR propagation code). It has been financially supported by the PNHE.

Appendix A: Forming new combination of data from ‘native’ data in the database

CR experiments provide measurements over several energy bins. The elementary brick of information in GCR physics is the isotopic flux. However, isotopic identification is rarely achieved even in contemporary experiments, and published results are often ratios of elements (e.g., B/C) and elemental fluxes (e.g., B, C).

Flux measurements suffer from many systematics (energy-dependent acceptance, dead time, rigidity cut-off in the Geomagnetic field, etc.) that mostly factor out from the ratio of species close in charge. As a result, uncertainties of published ratios are smaller than if calculated by quadratically combining the errors on the fluxes. Obviously, published ratios should always be preferred if provided in the publication. But as underlined in

Sect. 2.1, only the most-used ratios are generally published (e.g., B/C).

In this Appendix, we detail how ‘native’ data are searched for and combined to lead to the user-selected quantity (App. A.1), be it for fluxes or ratios. We then discuss the necessary rules to calculate the uncertainties from the ‘native’ data uncertainties (App. A.2). Note that data can only be combined if coming from the same sub-experiment (otherwise, they would correspond to different Solar modulation periods and suffer from different systematics). Obviously, the benefit of adding extra data (for a CR quantity) to a CR analysis must also always be weighted against using only the ‘native’ and more accurate data found in the same energy range. A check box in the selection interface (shown in Fig. 3) enables or disables the search for these data. We did not systematically check how many extra data points are obtained in this way, but the algorithm finds some. These data are singled out by an asterisk in the result panel (shown in Fig. 4).

Appendix A.1: Priority rules to form new quantities

The database extraction tool ([Extract data](#) tab) is designed to return the most complete set of data for a given CR quantity Q^{searched} . It needs a set of rules to browse through the database content and retrieve the queried quantity. The search is prioritised as follows (we use the superscript *native* to indicate quantity in the database):

1. look directly for the queried quantity Q^{native} ;
2. if Q is a flux, search for all i for which the pair $(Q/Q_i)^{\text{native}}$, $(Q_i)^{\text{native}}$ exist. The new data obtained are $Q^{\text{combo}} = \cup_i \{(Q/Q_i)^{\text{native}}/(Q_i)^{\text{native}}\}$;
3. if CR quantity is a ratio $Q = Q_{\text{num}}/Q_{\text{denom}}$, search for
 - $Q^{\text{combo}} = Q_{\text{num}}^{\text{native}}/Q_{\text{denom}}^{\text{native}}$;
 - $Q^{\text{combo}} = \cup_i \{(Q_{\text{num}}/Q_i)^{\text{native}}/(Q_{\text{denom}}/Q_i)^{\text{native}}\}$;
 - $Q^{\text{combo}} = \cup_i \{(Q_{\text{num}}/Q_i)^{\text{native}} \times (Q_i/Q_{\text{denom}})^{\text{native}}\}$.

To be complete, more complex combinations should be implemented (addition and subtraction of isotopic fraction of an element, addition of group of charges, etc.). These combinations require a more complex query that remains to be implemented (it is under development).

Another subtlety is that valid combinations are restricted to data points of similar energy ranges. As underlined in Sect. 2.2, sometimes only the ‘central’ energy bin of the data point is available. Moreover, values extracted from published plots (using DataThief) cannot match exactly one another. For these reasons, we relax the constraint of a perfect energy match, and use instead:

- data point has only a ‘central’ value: we demand this value to be i) within the energy range, or ii) within 20% of the ‘central’ value of the data point it is combined to;
- data point has an energy range: we demand an overlap of the energy ranges of the data points to be combined.

Appendix A.2: Rules to calculate uncertainties

For all experiments, the default rule is that relative errors are quadratically summed whenever combinations of CR data are formed. In this first release, the only exception concerns HEAO-3 data (Engelmann et al. 1990), where the authors provide tables for the oxygen flux and for the relative fluxes (to O). The rules to calculate uncertainties, depends on the charge proximity of the

¹⁷ For now, the only authorised persons are the developers of the database. Any person wishing to get involved in further developments of the database is welcome to contact us.

¹⁸ Despite our best efforts, many data published in CR conferences (e.g., ICRC) are probably missing, and many typos and errors probably remain to be corrected.

combined elements. The original text, spread over the original publication, is reproduced below:

- *"In Table 5 [...] the standard error is given with each flux value. This error includes the statistical error and, in the case of the last two energy channels, the systematic error."*
- *"The spectrum of any element between $Z=4$ and $Z=28$ can be obtained by multiplying the oxygen flux values of Table 5 by the corresponding abundance ratios given in Table 2. The relative errors on these two numbers shall be quadratically summed to get the error on the flux derived by this way."*
- *"For widely different charges Z_1 and Z_2 , a reasonable estimate of the error on the abundance ratio is the quadratic sum of the errors on both type of nuclei Z_1 and Z_2 (for example the total error on Fe/O ratio is $\sim 5.2\%$). For nearly adjacent charges, an upper limit of the systematic error is given by the difference between the systematic errors on each element (for example, the error on B/C is $\sim 0.4\%$)."*

Appendix B: List of experiments and publications

We provide below a sorted list of experiments (unnamed balloons appear first), sub-experiments, and associated publications present in the database first release¹⁹.

- Balloon (1963/04): Daniel & Stephens (1965a)
- Balloon (1964,1965,1966)
 - Balloon (1964/07): L'Heureux (1967)
 - Balloon (1965/06+1965/07): L'Heureux (1967)
 - Balloon (1966/06): L'Heureux & Meyer (1968)
- Balloon (1965/07+1965/08+1966/06): Hartman (1967); Fanselow et al. (1969); Fanselow (1968)
- Balloon (1965,1966,1967,1968)
 - Balloon (1965/07): Bleeker et al. (1965)
 - Balloon (1966/08): Bleeker et al. (1970)
 - Balloon (1967/08): Bleeker et al. (1970)
 - Balloon (1968/07): Bleeker et al. (1970)
- Balloon (1965,1966,1968,1969,1971+1972)
 - Balloon (1965/07): Webber et al. (1973a)
 - Balloon (1965/07+1966/07): Beedle & Webber (1968); Webber & Chotkowski (1967)
 - Balloon (1966/07): Webber et al. (1973a)
 - Balloon (1968/07): Webber et al. (1973a)
 - Balloon (1969/07): Webber et al. (1973a)
 - Balloon (1971/07+1972/07): Webber et al. (1973a)
- Balloon (1966/03): Anand et al. (1968)
- Balloon (1966/09): Danjo et al. (1968)
- Balloon (1966,1967)
 - Balloon (1966/07): Earl et al. (1972)
 - Balloon (1966/09): Earl et al. (1972)
 - Balloon (1967/07): Earl et al. (1972)
- Balloon (1967/06+1967/07): Israel & Vogt (1968)
- Balloon (1967/07): Agrinier et al. (1969)
- Balloon (1967/11+1968/06): Fanselow et al. (1971)
- Balloon (1968/05): Anand et al. (1973)
- Balloon (1968/06): Scheepmaker & Tanaka (1971)
- Balloon (1968/07): Beuermann et al. (1969)
- Balloon (1968+1969...1999+2001): Nishimura et al. (1980, 1985); Kobayashi (1999); Nishimura et al. (2001); Kobayashi et al. (2012)
- Balloon (1968-1975,1977,1979,1982,1984,1987,1990,1992,1994)
 - Balloon (1968/06+1968/07): Fulks (1975); Hovestadt et al. (1971); Schmidt (1972)
 - Balloon (1969/06+1969/07): Fulks (1975); Hovestadt et al. (1971); Schmidt (1972)
 - Balloon (1970/06+1970/07): Fulks (1975); Hovestadt et al. (1971); Schmidt (1972)
 - Balloon (1971/06+1971/07): Fulks (1975); Hovestadt et al. (1971)
 - Balloon (1972/07): Fulks (1975); Hovestadt et al. (1971)
 - Balloon (1973/07): Caldwell et al. (1975)
 - Balloon (1974/07): Caldwell et al. (1977)
 - Balloon (1975/07): Caldwell et al. (1977)
 - Balloon (1977/07): Evenson et al. (1979)
 - Balloon (1979/08): Evenson & Meyer (1984)
 - Balloon (1982/08): Evenson & Meyer (1984)
 - Balloon (1982/10): Garcia-Munoz et al. (1986)
 - Balloon (1984/09): Garcia-Munoz et al. (1986)
 - Balloon (1987/08): Evenson et al. (1995)
 - Balloon (1990/08): Evenson et al. (1995)
 - Balloon (1992/08): Evenson et al. (1995)
- Balloon (1994/08): Evenson et al. (1995)
- Balloon (1969/04+1970/11): Silverberg et al. (1973)
- Balloon (1969/09+1973/05): Meegan & Earl (1975)
- Balloon (1970/05+1970/09): Muller & Meyer (1973)
- Balloon (1970/06): Bjarle et al. (1979)
- Balloon (1971/05): Apparao (1973)
- Balloon (1971/09+1972/10): Juliusson (1974)
- Balloon (1971,1972)
 - Balloon (1971/07): Webber et al. (1973a)
 - Balloon (1971/07+1972/07): Webber et al. (1973a)
 - Balloon (1972/07): Webber et al. (1973a)
- Balloon (1972/07): Webber & Schofield (1975); Webber et al. (1987)
- Balloon (1972/07): Daugherty et al. (1975)
- Balloon (1972/10): Freier et al. (1977); Orth et al. (1978)
- Balloon (1972/11+1973/05): Buffington et al. (1974, 1975)
- Balloon (1973/06): Ishii et al. (1973)
- Balloon (1973/08): Fisher et al. (1976); Hagen et al. (1977); Leech & Ogallagher (1978)
- Balloon (1973/09+1974/05): Dwyer (1978)
- Balloon (1973/09+1974/05+1975/09+1975/10): Dwyer & Meyer (1987)
- Balloon (1974/07+1974/08): Hartman & Pellerin (1976)
- Balloon (1974/07+1974/08+1976/09): Lezniak & Webber (1978)
- Balloon (1975/09+1975/10): Minagawa (1981)
- Balloon (1975/10): Prince (1979); Hartmann et al. (1977)
- Balloon (1975/12): Bogomolov et al. (1979)
- Balloon (1976/05): Golden et al. (1984, 1987)
- Balloon (1976/10): Simon et al. (1980)
- Balloon (1977/05): Buffington et al. (1978)
- Balloon (1977/07): Webber & Yushak (1983)
- Balloon (1977/09): Webber & Kish (1979); Webber (1982)
- Balloon (1980/10): Tang (1984)
- Balloon (1981/04): Jordan (1985)
- Balloon (1981/09): Webber et al. (1985a,b)
- Balloon (1984/04): Mueller & Tang (1987)
- Balloon (1987/05+1988/05+1989/05+1991/05): Ichimura et al. (1993)
- Balloon (1989/05+1991/05): Kamioka et al. (1997)
- Balloon (1989/09): Hatano et al. (1995)
- Balloon (1990/07): Bogomolov et al. (1995)
- Balloon (1991/09): Buckley et al. (1994)
- ACE
 - ACE-CRIS (1997/08-1998/04): George et al. (2009)
 - ACE-CRIS (1997/08-1998/12): Wiedenbeck et al. (1999)
 - ACE-CRIS (1997/08-1999/07): Yanasak et al. (2001)
 - ACE-CRIS (1998/01-1999/01): de Nolfo et al. (2006)
 - ACE-CRIS (2001/05-2003/09): George et al. (2009)
 - ACE-SIS (1997/08-1999/07): Yanasak et al. (2001)
- ALICE
 - AESOP94 (1994/08): Clem et al. (1996)
 - AESOP97+98 (1997/09+1998/08): Clem et al. (2000)
 - AESOP99 (1999/08): Clem & Evenson (2002)
 - AESOP00 (2000/08): Clem & Evenson (2002)
 - AESOP02 (2002/08): Clem & Evenson (2004)
 - AESOP06 (2006/08): Clem & Evenson (2009)
- ALICE
 - ALICE (1987/08): Hesse et al. (1996)
 - ALICE (1987/08+1987/08): Esposito et al. (1992)
- AMS-01
 - AMS01 (1998/06): Alcaraz et al. (2000a); AMS Collaboration et al. (2000, 2002); Xiong et al. (2003); Aguilar et al. (2010, 2011)
 - AMS01-BremsstrahlungPhotons (1998/06): AMS-01 Collaboration et al. (2007)
 - AMS01-singleTrack (1998/06): Alcaraz et al. (2000b); AMS Collaboration et al. (2002)
- ATIC
 - ATIC01&02 (2001/01+2003/01): Chang et al. (2008)
 - ATIC02 (2003/01): Panov et al. (2008, 2009)
- BESS
 - BESS93 (1993/07): Moiseev et al. (1997); Wang et al. (2002)
 - BESS94 (1994/07): Myers et al. (2003)
 - BESS95 (1995/07): Matsunaga et al. (1998); Myers et al. (2003)
 - BESS97 (1997/07): Orito et al. (2000); Myers et al. (2003); Shikaze et al. (2007)
 - BESS98 (1998/07): Sanuki et al. (2000); Maeno et al. (2001); Myers et al. (2003); Shikaze et al. (2007)
 - BESS99 (1999/08): Asaoka et al. (2002); Shikaze et al. (2007)
 - BESS00 (2000/08): Asaoka et al. (2002); Shikaze et al. (2007)
 - BESS-TeV (2002/08): Haino et al. (2004, 2005); Shikaze et al. (2007)
 - BESS-PolarI (2004/12): BESS Collaboration et al. (2008)
 - BESS-PolarII (2007/12-2008/01): Abe et al. (2012b)
- BETS
 - BETS97&98 (1997/06+1998/05): Torii et al. (2001)
 - BETS04 (2004/01): Yoshida et al. (2008)
- CAPRICE
 - CAPRICE94 (1994/08): Boezio et al. (1997, 1999, 2000)
 - CAPRICE98 (1998/05): Boezio et al. (2001a,b); Mocchiutti & Wizard/Caprice Collaboration (2003); Boezio et al. (2003); Papini et al. (2004)
- CREAM
 - CREAM-I (2004/12-2005/01): Ahn et al. (2008); Yoon et al. (2011)
 - CREAM-II (2005/12-2006/01): Ahn et al. (2009, 2010)
- CRISIS (1977/05): Freier et al. (1980); Young et al. (1981)
- CRN-Spacelab2 (1985/07-1985/08): Swordy et al. (1990); Mueller et al. (1991)
- CRRES (1990/07-1992/10): Duvernois et al. (1996a)

¹⁹ The list and bibtex references were obtained from the [Get all bibtex entries](#) and [Latex cite links](#) in the [Welcome](#) tab.

- Fermi
 - Fermi-LAT (2008/06-2011/04): Ackermann et al. (2012a)
 - Fermi-LAT (2008/06-2009/06): Ackermann et al. (2010)
- H.E.S.S. (2004/10-2007/08): Aharonian et al. (2008, 2009)
- HEAO3-C2 (1979/10-1980/06): Ferrando et al. (1988); Engelmann et al. (1990)
- HEAT
 - HEAT94 (1994/05): Barwick et al. (1995, 1997, 1998)
 - HEAT95 (1995/08): Barwick et al. (1997); DuVernois et al. (2001)
 - HEAT94&95 (1994/05+1995/08): Barwick et al. (1997); DuVernois et al. (2001)
 - HEAT-pbar (2000/06): Beach et al. (2001); Beatty et al. (2004)
- HEIST (1988/08): Gibner et al. (1992)
- IMAX92 (1992/07): Mitchell et al. (1996); Reimer et al. (1998); Menn et al. (2000); de Nolfo et al. (2000)
- IMP
 - IMP1 (1963/11-1964/05): Cline et al. (1964)
 - IMP3 (1965/06-1965/12): Hsieh et al. (1971)
 - IMP3 (1965/07-1966/03): Fan et al. (1968)
 - IMP4 (1967/06-1967/10): Hsieh et al. (1971)
 - IMP5 (1969/06-1969/09): Hsieh et al. (1971)
 - IMP7 (1972/09-1972/12): Teegarden et al. (1975)
 - IMP7 (1972/10-1976/10): Garcia-Munoz et al. (1979)
 - IMP7 (1973/05-1973/08): Garcia-Munoz et al. (1975)
 - IMP7&8 (1972/09-1975/09): Garcia-Munoz et al. (1977)
 - IMP7&8 (1973/02-1977/09): Guzik (1981)
 - IMP7&8 (1974/01-1980/05): Garcia-Munoz et al. (1981)
 - IMP8 (1974/01-1977/11): Beatty et al. (1985)
 - IMP8 (1974/01-1978/10): Garcia-Munoz et al. (1987)
- ISEE
 - ISEE3-HIST (1978/08-1978/12): Mewaldt et al. (1980b,a, 1981); Mewaldt (1986)
 - ISEE3-HKH (1978/08-1979/08): Wiedenbeck & Greiner (1980)
 - ISEE3-HKH (1978/08-1980/05): Wiedenbeck & Greiner (1981a,b)
 - ISEE3-HKH (1978/08-1981/04): Wiedenbeck (1983); Krombel & Wiedenbeck (1988); Leske (1993)
 - ISEE3-MEH (1978/08-1979/02): Evenson et al. (1979)
 - ISEE3-MEH (1978/08-1984/04): Kroeger (1986)
 - ISEE3-MEH (1979/02-1980/03): Evenson et al. (1981)
 - ISEE3-MEH (1980/03-1981/03): Evenson et al. (1981)
- ISOMAX (1998/08): Hams et al. (2004)
- JACEE (1979+1980+1982...1990+1994+1995): Asakimori et al. (1998)
- MASS
 - MASS89 (1989/09): Webber et al. (1991); Golden et al. (1994)
 - MASS91 (1991/09): Hof et al. (1996); Bellotti et al. (1999); Basini (1999); Gri-mani et al. (2002)
- MUBEE (1975/09+1978/08+1986/07+1987/07): Zatsepin et al. (1993)
- OGO5
 - OGO5 (1968/04-1968/05): Burger & Swanenburg (1974)
 - OGO5 (1968/04-1969/04): L’Heureux et al. (1972)
 - OGO5 (1968/06-1968/10): Fulks (1975)
 - OGO5 (1969/06-1969/07): Fulks (1975); Burger & Swanenburg (1974)
 - OGO5 (1970/06-1970/07): Fulks (1975); Burger & Swanenburg (1974)
 - OGO5 (1971/05-1971/08): Fulks (1975)
 - OGO5 (1971/07-1971/08): Burger & Swanenburg (1974)
 - OGO5 (1972/06): Fulks (1975)
 - OGO5 (1972/06-1972/07): Burger & Swanenburg (1974)
- PAMELA
 - PAMELA (2006/07-2008/02): Adriani et al. (2009a)
 - PAMELA (2006/07-2008/06): Adriani et al. (2009b)
 - PAMELA (2006/07-2008/12): Casolino et al. (2011); Adriani et al. (2010, 2011a)
 - PAMELA (2006/07-2010/01): Adriani et al. (2011b)
- Pioneer
 - Pioneer8&9 (1967/12-1969/04): Webber et al. (1973b)
 - Pioneer10-HET (1972/03-1973/03): Teegarden et al. (1975)
 - Pioneer10-HET (1985/04-1988/11): Webber & McDonald (1994)
- RICH-II (1997/10): Diehl et al. (2003)
- RUNJOB (1995+1996+1997+1998+1999): Derbina et al. (2005)
- SMILI
 - SMILI-I (1989/09): Beatty et al. (1993)
 - SMILI-II (1991/07): Ahlen et al. (2000)
- SOKOL (1984/03-1984/04): Ivanenko et al. (1993)
- TRACER
 - TRACER03 (2003/12): Ave et al. (2008)
 - TRACER06 (2006/07): Obermeier et al. (2011, 2012)
- Trek-MIR (1991/06-1992/12): Westphal et al. (1996)
- TS93 (1993/09): Golden et al. (1996)
- Ulysses
 - Ulysses-KET (1990/10-1991/02): Rastoin et al. (1996)
 - Ulysses-HET (1990/10-1995/07): Duvernois & Thayer (1996); Duvernois et al. (1996b); Connell & Simpson (1997); Duvernois (1997); Thayer (1997)
 - Ulysses-HET (1990/10-1996/12): Simpson & Connell (1998)
 - Ulysses-HET (1990/10-1997/12): Connell (1998); Connell et al. (1998); Connell (1999)
 - Ulysses-KET (1992/07-1992/10): Rastoin et al. (1996)
 - Ulysses-KET (1993/07-1993/10): Rastoin et al. (1996)
 - Ulysses-KET (1994/07-1994/10): Rastoin et al. (1996)
- Voyager
 - Voyager1-HET (1977/10-1977/11): Webber & Yushak (1983)
 - Voyager1-HET-Aend (1977/10-1977/11): Webber & Yushak (1983)
 - Voyager1-HET (1994/01-1994/09): Seo & McDonald (1995)
 - Voyager1-HET (2010/01-2010/03): Caballero-Lopez et al. (2010)
 - Voyager2-HET (1986/01-1987/12): Ferrando et al. (1991)
 - Voyager2-HET (1987/01-1987/12): Seo et al. (1994)
 - Voyager2-HET (2010/01-2010/03): Caballero-Lopez et al. (2010)
 - Voyager1&2 (1977/01-1991/12): Lukasiak et al. (1994b)
 - Voyager1&2 (1977/01-1993/12): Lukasiak et al. (1994c); Webber et al. (1996)
 - Voyager1&2 (1977/01-1996/12): Lukasiak et al. (1997b,a); Webber et al. (1997)
 - Voyager1&2 (1977/01-1998/12): Lukasiak (1999)
 - Voyager1&2 (1986/01-1989/12): Lukasiak et al. (1994a)
 - Voyager1&2-HET (1987/01-1987/12): Webber & Higbie (2009)

References

- Abe, K., Fuke, H., Haino, S., et al. 2012a, *Physical Review Letters*, 108, 131301
- Abe, K., Fuke, H., Haino, S., et al. 2012b, *Physical Review Letters*, 108, 051102
- Abraham, J., Abreu, P., Aglietta, M., et al. 2010, *Physics Letters B*, 685, 239
- Ackermann, M., Ajello, M., Allafort, A., et al. 2012a, *Physical Review Letters*, 108, 011103
- Ackermann, M., Ajello, M., Atwood, W. B., et al. 2010, *Phys. Rev. D*, 82, 092004
- Ackermann, M., Ajello, M., Atwood, W. B., et al. 2012b, *ApJ*, 750, 3
- Adriani, O., Barbarino, G. C., Bazilevskaya, G. A., et al. 2010, *Physical Review Letters*, 105, 121101
- Adriani, O., Barbarino, G. C., Bazilevskaya, G. A., et al. 2011a, *Science*, 332, 69
- Adriani, O., Barbarino, G. C., Bazilevskaya, G. A., et al. 2009a, *Nature*, 458, 607
- Adriani, O., Barbarino, G. C., Bazilevskaya, G. A., et al. 2009b, *Physical Review Letters*, 102, 051101
- Adriani, O., Barbarino, G. C., Bazilevskaya, G. A., et al. 2011b, *Physical Review Letters*, 106, 201101
- Agrinier, B., Koechlin, Y., Parlier, B., et al. 1969, *Nuovo Cimento Lettere*, 1, 53
- Agrinier, B., Koechlin, Y., Parlier, B., et al. 1965, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 331
- Aguilar, M., Alcaraz, J., Allaby, J., et al. 2010, *ApJ*, 724, 329
- Aguilar, M., Alcaraz, J., Allaby, J., et al. 2011, *ApJ*, 736, 105
- Aharonian, F., Akhperjanian, A. G., Anton, G., et al. 2009, *A&A*, 508, 561
- Aharonian, F., Akhperjanian, A. G., Barres de Almeida, U., et al. 2008, *Physical Review Letters*, 101, 261104
- Ahlen, S. P., Greene, N. R., Loomba, D., et al. 2000, *ApJ*, 534, 757
- Ahn, H. S., Allison, P., Bagliesi, M. G., et al. 2009, *ApJ*, 707, 593
- Ahn, H. S., Allison, P. S., Bagliesi, M. G., et al. 2010, *ApJ*, 715, 1400
- Ahn, H. S., Allison, P. S., Bagliesi, M. G., et al. 2008, *Astroparticle Physics*, 30, 133
- Alcaraz, J., Alpat, B., Ambrosi, G., et al. 2000a, *Physics Letters B*, 490, 27
- Alcaraz, J., Alpat, B., Ambrosi, G., et al. 2000b, *Physics Letters B*, 484, 10
- AMS-01 Collaboration, Aguilar, M., Alcaraz, J., et al. 2007, *Physics Letters B*, 646, 145
- AMS Collaboration, Aguilar, M., Alcaraz, J., et al. 2002, *Phys. Rep.*, 366, 331
- AMS Collaboration, Alcaraz, J., Alpat, B., et al. 2000, *Physics Letters B*, 494, 193
- Anand, K. C., Daniel, R. R., & Stephens, S. A. 1968, *Physical Review Letters*, 20, 764
- Anand, K. C., Daniel, R. R., & Stephens, S. A. 1973, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 355
- Apparao, K. M. V. 1973, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 126
- Aramaki, T., Chan, S. K., Hailey, C. J., et al. 2012, *Nuclear Instruments and Methods in Physics Research A*, 682, 90
- Arruda, L., Barão, F., & Pereira, R. 2008, *ArXiv:0801.3243*
- Asakimori, K., Burnett, T. H., Cherry, M. L., et al. 1998, *ApJ*, 502, 278
- Asaoka, Y., Shikaze, Y., Abe, K., et al. 2002, *Physical Review Letters*, 88, 051101
- Auger, P., Ehrenfest, P., Maze, R., Daudin, J., & Fréon, R. A. 1939, *Reviews of Modern Physics*, 11, 288
- Ave, M., Boyle, P. J., Gahbauer, F., et al. 2008, *ApJ*, 678, 262
- Barwick, S. W., Beatty, J. J., Bhattacharyya, A., et al. 1997, *ApJ*, 482, L191
- Barwick, S. W., Beatty, J. J., Bower, C. R., et al. 1995, *Physical Review Letters*, 75, 390
- Barwick, S. W., Beatty, J. J., Bower, C. R., et al. 1998, *ApJ*, 498, 779
- Basini, G. 1999, in *International Cosmic Ray Conference*, Vol. 3, *International Cosmic Ray Conference*, 77
- Beach, A. S., Beatty, J. J., Bhattacharyya, A., et al. 2001, *Physical Review Letters*, 87, A261101
- Beatty, J. J., Bhattacharyya, A., Bower, C., et al. 2004, *Physical Review Letters*, 93, 241102
- Beatty, J. J., Ficenec, D. J., Tobias, S., et al. 1993, *ApJ*, 413, 268
- Beatty, J. J., Garcia-Munoz, M., & Simpson, J. A. 1985, *ApJ*, 294, 455

- Beedle, R. E. & Webber, W. R. 1968, *Canadian Journal of Physics Supplement*, 46, 1014
- Bellotti, R., Cafagna, F., Circella, M., et al. 1999, *Phys. Rev. D*, 60, 052002
- BESS Collaboration, Abe, K., Fuke, H., et al. 2008, *Physics Letters B*, 670, 103
- Beuermann, K. P., Rice, C. J., Stone, E. C., & Vogt, R. E. 1969, *Physical Review Letters*, 22, 412
- Bjarle, C., Herrström, N.-Y., Jonsson, G., & Kristiansson, K. 1979, *Zeitschrift für Physik A Hadrons and Nuclei*, 291, 383
- Blanford, G. E., Friedlander, M. W., Klarmann, J., et al. 1969, *Physical Review Letters*, 23, 338
- Bleeker, J. A. M., Burger, J. J., Deerenberg, A. J. M., et al. 1970, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 209
- Bleeker, J. A. M., Burger, J. J., Scheepmaker, A., Swanenburg, B. N., & Tanaka, Y. 1965, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 327
- Boezio, M., Barbiellini, G., Bonvicini, V., et al. 2001a, *Advances in Space Research*, 27, 669
- Boezio, M., Bonvicini, V., Schiavon, P., et al. 2001b, *ApJ*, 561, 787
- Boezio, M., Bonvicini, V., Schiavon, P., et al. 2003, *Astroparticle Physics*, 19, 583
- Boezio, M., Carlson, P., Francke, T., et al. 1997, *ApJ*, 487, 415
- Boezio, M., Carlson, P., Francke, T., et al. 1999, *ApJ*, 518, 457
- Boezio, M., Carlson, P., Francke, T., et al. 2000, *ApJ*, 532, 653
- Bogomolov, E. A., Lubyanyaya, N. D., Romanov, V. A., Stepanov, S. V., & Shulakova, M. S. 1979, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 330
- Bogomolov, E. A., Vasilyev, G. I., Yu, S., et al. 1995, in *International Cosmic Ray Conference*, Vol. 2, *International Cosmic Ray Conference*, 598
- Buckley, J., Dwyer, J., Mueller, D., Swordy, S., & Tang, K. K. 1994, *ApJ*, 429, 736
- Buffington, A., Orth, C. D., & Mast, T. S. 1978, *ApJ*, 226, 355
- Buffington, A., Orth, C. D., & Smoot, G. F. 1974, *Physical Review Letters*, 33, 34
- Buffington, A., Orth, C. D., & Smoot, G. F. 1975, *ApJ*, 199, 669
- Burger, J. J. & Swanenburg, B. N. 1974, *J. Geophys. Res.*, 79, 1533
- Caballero-Lopez, R. A., Moraal, H., & McDonald, F. B. 2010, *ApJ*, 725, 121
- Caldwell, J., Evenson, P., Jordan, S., & Meyer, P. 1975, in *International Cosmic Ray Conference*, Vol. 3, *International Cosmic Ray Conference*, 1000
- Caldwell, J. H., Evenson, P., Jordan, S., & Meyer, P. 1977, in *International Cosmic Ray Conference*, Vol. 11, *International Cosmic Ray Conference*, 203
- Casolino, M., de Santis, C., de Simone, N., et al. 2011, *Astrophysics and Space Sciences Transactions*, 7, 465
- Chang, J., Adams, J. H., Ahn, H. S., et al. 2008, *Nature*, 456, 362
- Chardonnet, P., Orloff, J., & Salati, P. 1997, *Physics Letters B*, 409, 313
- Choutko, V. & Giovacchini, F. 2008, in *International Cosmic Ray Conference*, Vol. 4, *International Cosmic Ray Conference*, 765–768
- Clem, J. & Evenson, P. 2004, *Journal of Geophysical Research (Space Physics)*, 109, 7107
- Clem, J. & Evenson, P. 2009, *Journal of Geophysical Research (Space Physics)*, 114, 10108
- Clem, J. M., Clements, D. P., Esposito, J., et al. 1996, *ApJ*, 464, 507
- Clem, J. M., Evenson, P., Huber, D., et al. 2000, *J. Geophys. Res.*, 105, 23099
- Clem, J. M. & Evenson, P. A. 2002, *ApJ*, 568, 216
- Cline, T. L., Ludwig, G. H., & McDonald, F. B. 1964, *Physical Review Letters*, 13, 786
- Connell, J. 1999, in *International Cosmic Ray Conference*, Vol. 3, *International Cosmic Ray Conference*, 33
- Connell, J. J. 1998, *ApJ*, 501, L59
- Connell, J. J., Duvernois, M. A., & Simpson, J. A. 1998, *ApJ*, 509, L97
- Connell, J. J. & Simpson, J. A. 1997, *ApJ*, 475, L61
- Daniel, R. R. & Stephens, S. A. 1965a, *Physical Review Letters*, 15, 769
- Daniel, R. R. & Stephens, S. A. 1965b, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 335
- Danjo, A., Hayakawa, S., Makino, F., & Tanaka, Y. 1968, *Canadian Journal of Physics*, 46, 530
- Daugherty, J. K., Hartman, R. C., & Schmidt, P. J. 1975, *ApJ*, 198, 493
- de Nolfo, G. A., Barbier, L. M., Christian, E. R., et al. 2000, in *American Institute of Physics Conference Series*, Vol. 528, *Acceleration and Transport of Energetic Particles Observed in the Heliosphere*, ed. R. A. Mewaldt, J. R. Jokipii, M. A. Lee, E. Möbius, & T. H. Zurbuchen, 425–428
- de Nolfo, G. A., Moskalenko, I. V., Binns, W. R., et al. 2006, *Advances in Space Research*, 38, 1558
- de Shong, J. A., Hildebrand, R. H., & Meyer, P. 1964, *Physical Review Letters*, 12, 3
- Derbina, V. A., Galkin, V. I., Hareyama, M., et al. 2005, *ApJ*, 628, L41
- Diehl, E., Ellithorpe, D., Müller, D., & Swordy, S. P. 2003, *Astroparticle Physics*, 18, 487
- Duvernois, M. A. 1997, *ApJ*, 481, 241
- Duvernois, M. A., Barwick, S. W., Beatty, J. J., et al. 2001, *ApJ*, 559, 296
- Duvernois, M. A., Garcia-Munoz, M., Pyle, K. R., Simpson, J. A., & Thayer, M. R. 1996a, *ApJ*, 466, 457
- Duvernois, M. A., Simpson, J. A., & Thayer, M. R. 1996b, *A&A*, 316, 555
- Duvernois, M. A. & Thayer, M. R. 1996, *ApJ*, 465, 982
- Dwyer, R. 1978, *ApJ*, 224, 691
- Dwyer, R. & Meyer, P. 1987, *ApJ*, 322, 981
- Earl, J. A. 1961, *Physical Review Letters*, 6, 125
- Earl, J. A., Neely, D. E., & Rygg, T. A. 1972, *J. Geophys. Res.*, 77, 1087
- Engelmann, J. J., Ferrando, P., Soutoul, A., Goret, P., & Juliusson, E. 1990, *A&A*, 233, 96
- Esposito, J. A., Christian, E. R., Balasubrahmanyam, V. K., et al. 1992, *Astroparticle Physics*, 1, 33
- Evenson, P., Huber, D., Patterson, E. T., et al. 1995, *J. Geophys. Res.*, 100, 7873
- Evenson, P., Krawczyk, L., Moses, D., & Meyer, P. 1981, in *International Cosmic Ray Conference*, Vol. 10, *International Cosmic Ray Conference*, 77–80
- Evenson, P. & Meyer, P. 1984, *J. Geophys. Res.*, 89, 2647
- Evenson, P., Meyer, P., & Nandkumar, R. 1979, in *International Cosmic Ray Conference*, Vol. 1, *International Cosmic Ray Conference*, 462
- Evoli, C., Gaggero, D., Grasso, D., & Maccione, L. 2008, *J. Cosmology Astropart. Phys.*, 10, 18
- Fan, C. Y., Gloeckler, G., Simpson, J. A., & Verma, S. D. 1968, *ApJ*, 151, 737
- Fanselow, J. L. 1968, *ApJ*, 152, 783
- Fanselow, J. L., Hartman, R. C., Hildebrand, R. H., & Meyer, P. 1969, *ApJ*, 158, 771
- Fanselow, J. L., Hartman, R. C., Meyer, P., & Schmidt, P. J. 1971, *Ap&SS*, 14, 301
- Ferrando, P., Engelmann, J. J., Goret, P., Koch-Miramond, L., & Petrou, N. 1988, *A&A*, 193, 69
- Ferrando, P., Lal, N., McDonald, F. B., & Webber, W. R. 1991, *A&A*, 247, 163
- Fisher, A. J., Hagen, F. A., Maehl, R. C., Ormes, J. F., & Arens, J. F. 1976, *ApJ*, 205, 938
- Fowler, P. H., Adams, R. A., Cowen, V. G., & Kidd, J. M. 1967, *Royal Society of London Proceedings Series A*, 301, 39
- Fowler, P. H., Clapham, V. M., Cowen, V. G., Kidd, J. M., & Moses, R. T. 1970, *Royal Society of London Proceedings Series A*, 318, 1
- Freier, P., Gilman, C., & Waddington, C. J. 1977, *ApJ*, 213, 588
- Freier, P., Lofgren, E. J., Ney, E. P., & Oppenheimer, F. 1948a, *Physical Review*, 74, 1818
- Freier, P., Lofgren, E. J., Ney, E. P., et al. 1948b, *Physical Review*, 74, 213
- Freier, P. S., Young, J. S., & Waddington, C. J. 1980, *ApJ*, 240, L53
- Fuke, H., Maeno, T., Abe, K., et al. 2005, *Physical Review Letters*, 95, 081101
- Fulks, G. J. 1975, *J. Geophys. Res.*, 80, 1701
- Garcia-Munoz, M., Mason, G. M., & Simpson, J. A. 1975, *ApJ*, 202, 265
- Garcia-Munoz, M., Mason, G. M., & Simpson, J. A. 1977, *ApJ*, 217, 859
- Garcia-Munoz, M., Meyer, P., Pyle, K. R., Simpson, J. A., & Evenson, P. 1986, *J. Geophys. Res.*, 91, 2858
- Garcia-Munoz, M., Simpson, J. A., Guzik, T. G., Wefel, J. P., & Margolis, S. H. 1987, *ApJS*, 64, 269
- Garcia-Munoz, M., Simpson, J. A., & Wefel, J. P. 1979, *ApJ*, 232, L95
- Garcia-Munoz, M., Simpson, J. A., & Wefel, J. P. 1981, in *International Cosmic Ray Conference*, Vol. 2, *International Cosmic Ray Conference*, 72–75
- George, J. S., Lave, K. A., Wiedenbeck, M. E., et al. 2009, *ApJ*, 698, 1666
- Gibner, P. S., Mewaldt, R. A., Schindler, S. M., Stone, E. C., & Webber, W. R. 1992, *ApJ*, 391, L89
- Gleeson, L. J. & Axford, W. I. 1968, *ApJ*, 154, 1011
- Gleeson, L. J. & Urch, I. H. 1973, *Ap&SS*, 25, 387
- Golden, R. L., Grimaldi, C., Kimbell, B. L., et al. 1994, *ApJ*, 436, 769
- Golden, R. L., Horan, S., Mauger, B. G., et al. 1979, *Physical Review Letters*, 43, 1196
- Golden, R. L., Mauger, B. G., Badhwar, G. D., et al. 1984, *ApJ*, 287, 622
- Golden, R. L., Mauger, B. G., Horan, S., et al. 1987, *A&A*, 188, 145
- Golden, R. L., Stochaj, S. J., Stephens, S. A., et al. 1996, *ApJ*, 457, L103
- Grimaldi, C., Stephens, S. A., Cafagna, F. S., et al. 2002, *A&A*, 392, 287
- Guzik, T. G. 1981, *ApJ*, 244, 695
- Hagen, F. A., Fisher, A. J., & Ormes, J. F. 1977, *ApJ*, 212, 262
- Haino, S., Abe, K., Fuke, H., et al. 2005, in *International Cosmic Ray Conference*, Vol. 3, *International Cosmic Ray Conference*, 13
- Haino, S., Sanuki, T., Abe, K., et al. 2004, *Physics Letters B*, 594, 35
- Hams, T., Barbier, L. M., Bremerich, M., et al. 2004, *ApJ*, 611, 892
- Hartman, R. C. 1967, *ApJ*, 150, 371
- Hartman, R. C., Meyer, P., & Hildebrand, R. H. 1965, *J. Geophys. Res.*, 70, 2713
- Hartman, R. C. & Pellerin, C. J. 1976, *ApJ*, 204, 927
- Hartmann, G., Mueller, D., & Prince, T. 1977, *Physical Review Letters*, 38, 1368
- Hatano, Y., Fukada, Y., Saito, T., Oda, H., & Yanagita, T. 1995, *Phys. Rev. D*, 52, 6219
- Hesse, A., Acharya, B. S., Heinbach, U., et al. 1996, *A&A*, 314, 785
- Hof, M., Menn, W., Pfeifer, C., et al. 1996, *ApJ*, 467, L33
- Hovestadt, D., Meyer, P., & Schmidt, P. J. 1971, *Astrophys. Lett.*, 9, 165
- Hsieh, K. C., Mason, G. M., & Simpson, J. A. 1971, *ApJ*, 166, 221
- Ichimura, M., Kogawa, M., Kuramata, S., et al. 1993, *Phys. Rev. D*, 48, 1949

- Ishii, C., Kobayashi, T., Shigihara, N., et al. 1973, in International Cosmic Ray Conference, Vol. 5, International Cosmic Ray Conference, 3073
- Israel, M. H. & Vogt, R. E. 1968, *Physical Review Letters*, 20, 1053
- Ivanenko, I. P., Shestoporov, V. Y., Chikova, L. O., et al. 1993, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, 17
- Jones, F. C., Lukasiak, A., Ptuskin, V., & Webber, W. 2001, *ApJ*, 547, 264
- Jordan, S. P. 1985, *ApJ*, 291, 207
- Juliusson, E. 1974, *ApJ*, 191, 331
- Kamioka, E., Hareyama, M., Ichimura, M., et al. 1997, *Astroparticle Physics*, 6, 155
- Kobayashi, T. 1999, in International Cosmic Ray Conference, Vol. 3, International Cosmic Ray Conference, 61
- Kobayashi, T., Komori, Y., Yoshida, K., et al. 2012, *ApJ*, 760, 146
- Kraushaar, W. L., Clark, G. W., Garmire, G. P., et al. 1972, *ApJ*, 177, 341
- Kroeger, R. 1986, *ApJ*, 303, 816
- Krombel, K. E. & Wiedenbeck, M. E. 1988, *ApJ*, 328, 940
- Lavalle, J. & Salati, P. 2012, *Comptes Rendus Physique*, 13, 740
- Leech, H. W. & O'gallagher, J. J. 1978, *ApJ*, 221, 1110
- Leske, R. A. 1993, *ApJ*, 405, 567
- Lezniak, J. A. & Webber, W. R. 1978, *ApJ*, 223, 676
- L'Heureux, J. 1967, *ApJ*, 148, 399
- L'Heureux, J., Fan, C. Y., & Meyer, P. 1972, *ApJ*, 171, 363
- L'Heureux, J. & Meyer, P. 1968, *Canadian Journal of Physics Supplement*, 46, 892
- Lukasiak, A. 1999, in International Cosmic Ray Conference, Vol. 3, International Cosmic Ray Conference, 41
- Lukasiak, A., Ferrando, P., McDonald, F. B., & Webber, W. R. 1994a, *ApJ*, 426, 366
- Lukasiak, A., Ferrando, P., McDonald, F. B., & Webber, W. R. 1994b, *ApJ*, 423, 426
- Lukasiak, A., McDonald, F. B., & Webber, W. R. 1994c, *ApJ*, 430, L69
- Lukasiak, A., McDonald, F. B., & Webber, W. R. 1997a, in International Cosmic Ray Conference, Vol. 3, International Cosmic Ray Conference, 389
- Lukasiak, A., McDonald, F. B., & Webber, W. R. 1997b, *ApJ*, 488, 454
- Maeno, T., Orito, S., Matsunaga, H., et al. 2001, *Astroparticle Physics*, 16, 121
- Matsunaga, H., Orito, S., Matsumoto, H., et al. 1998, *Physical Review Letters*, 81, 4052
- Maurin, D., Donato, F., Taillet, R., & Salati, P. 2001, *ApJ*, 555, 585
- Meegan, C. A. & Earl, J. A. 1975, *ApJ*, 197, 219
- Menn, W., Hof, M., Reimer, O., et al. 2000, *ApJ*, 533, 281
- Mewaldt, R. A. 1986, *ApJ*, 311, 979
- Mewaldt, R. A., Spalding, J. D., Stone, E. C., & Vogt, R. E. 1980a, *ApJ*, 235, L95
- Mewaldt, R. A., Spalding, J. D., Stone, E. C., & Vogt, R. E. 1980b, *ApJ*, 236, L121
- Mewaldt, R. A., Spalding, J. D., Stone, E. C., & Vogt, R. E. 1981, *ApJ*, 251, L27
- Meyer, P. & Vogt, R. 1961, *Physical Review Letters*, 6, 193
- Minagawa, G. 1981, *ApJ*, 248, 847
- Mitchell, J. W., Barbier, L. M., Christian, E. R., et al. 1996, *Physical Review Letters*, 76, 3057
- Mocchiutti, E. & Wizard/Caprice Collaboration. 2003, in International Cosmic Ray Conference, Vol. 4, International Cosmic Ray Conference, 1809
- Moiseev, A., Yoshimura, K., Ueda, I., et al. 1997, *ApJ*, 474, 479
- Mueller, D., Swordy, S. P., Meyer, P., L'Heureux, J., & Grunsfeld, J. M. 1991, *ApJ*, 374, 356
- Mueller, D. & Tang, K.-K. 1987, *ApJ*, 312, 183
- Muller, D. & Meyer, P. 1973, *ApJ*, 186, 841
- Myers, Z. D., Seo, E. S., Abe, K., et al. 2003, in International Cosmic Ray Conference, Vol. 4, International Cosmic Ray Conference, 1805
- Nishimura, J., Fujii, M., Taira, T., et al. 1980, *ApJ*, 238, 394
- Nishimura, J., Fujii, M., Yoshida, A., et al. 1985, in International Cosmic Ray Conference, Vol. 9, International Cosmic Ray Conference, ed. F. C. Jones, 539
- Nishimura, J., Kobayashi, T., Komori, Y., et al. 2001, *Advances in Space Research*, 26, 1827
- Obermeier, A., Ave, M., Boyle, P., et al. 2011, *ApJ*, 742, 14
- Obermeier, A., Boyle, P., Hörandel, J., & Müller, D. 2012, *ApJ*, 752, 69
- Orito, S., Maeno, T., Matsunaga, H., et al. 2000, *Physical Review Letters*, 84, 1078
- Orth, C. D., Buffington, A., Smoot, G. F., & Mast, T. S. 1978, *ApJ*, 226, 1147
- O'Sullivan, D., Price, P. B., Shirk, E. K., et al. 1971, *Physical Review Letters*, 26, 463
- Panov, A. D., Adams, J. H., Ahn, H. S., et al. 2009, *Bulletin of the Russian Academy of Science, Phys.*, 73, 564
- Panov, A. D., Sokolskaya, N. V., Adams, Jr., J. H., et al. 2008, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, 3–6
- Papini, P., Piccardi, S., Spillantini, P., et al. 2004, *ApJ*, 615, 259
- Porter, T. A., Johnson, R. P., & Graham, P. W. 2011, *ARA&A*, 49, 155
- Price, P. B., Fowler, P. H., Kidd, J. M., et al. 1971, *Phys. Rev. D*, 3, 815
- Prince, T. A. 1979, *ApJ*, 227, 676
- Rastoin, C., Ferrando, P., Raviart, A., et al. 1996, *A&A*, 307, 981
- Reimer, O., Menn, W., Hof, M., et al. 1998, *ApJ*, 496, 490
- Sanuki, T., Motoki, M., Matsumoto, H., et al. 2000, *ApJ*, 545, 1135
- Scheepmaker, A. & Tanaka, Y. 1971, *A&A*, 11, 53
- Schmidt, P. J. 1972, *J. Geophys. Res.*, 77, 3295
- Seo, E. S. & McDonald, F. B. 1995, *ApJ*, 451, L33
- Seo, E. S., McDonald, F. B., Lal, N., & Webber, W. R. 1994, *ApJ*, 432, 656
- Shikaze, Y., Haino, S., Abe, K., et al. 2007, *Astroparticle Physics*, 28, 154
- Silverberg, R. F., Ormes, J. F., & Balasubrahmanyam, V. K. 1973, *J. Geophys. Res.*, 78, 7165
- Simon, M., Spiegelhauer, H., Schmidt, W. K. H., et al. 1980, *ApJ*, 239, 712
- Simpson, J. A. & Connell, J. J. 1998, *ApJ*, 497, L85
- Strong, A. W. & Moskalenko, I. V. 2009, *ArXiv e-prints*
- Strong, A. W., Moskalenko, I. V., & Ptuskin, V. S. 2007, *Annual Review of Nuclear and Particle Science*, 57, 285
- Swordy, S. P., Mueller, D., Meyer, P., L'Heureux, J., & Grunsfeld, J. M. 1990, *ApJ*, 349, 625
- Tang, K.-K. 1984, *ApJ*, 278, 881
- Teegarden, B. J., von Rosenvinge, T. T., McDonald, F. B., Trainor, J. H., & Webber, W. R. 1975, *ApJ*, 202, 815
- Thayer, M. R. 1997, *ApJ*, 482, 792
- Torii, S., Tamura, T., Tateyama, N., et al. 2001, *ApJ*, 559, 973
- Usoskin, I. G., Alanko, K., Mursula, K., & Kovaltsov, G. A. 2002, *Sol. Phys.*, 207, 389
- Usoskin, I. G., Alanko-Huotari, K., Kovaltsov, G. A., & Mursula, K. 2005, *Journal of Geophysical Research (Space Physics)*, 110, 12108
- Usoskin, I. G., Bazilevskaya, G. A., & Kovaltsov, G. A. 2011, *Journal of Geophysical Research (Space Physics)*, 116, 2104
- Wang, J. Z., Seo, E. S., Anraku, K., et al. 2002, *ApJ*, 564, 244
- Webber, W. R. 1982, *ApJ*, 252, 386
- Webber, W. R. & Chotkowski, C. 1967, *J. Geophys. Res.*, 72, 2783
- Webber, W. R., Golden, R. L., & Mewaldt, R. A. 1987, *ApJ*, 312, 178
- Webber, W. R., Golden, R. L., Stochaj, S. J., Ormes, J. F., & Strittmatter, R. E. 1991, *ApJ*, 380, 230
- Webber, W. R. & Higbie, P. R. 2009, *Journal of Geophysical Research (Space Physics)*, 114, 2103
- Webber, W. R. & Kish, J. 1979, in International Cosmic Ray Conference, Vol. 1, International Cosmic Ray Conference, 389
- Webber, W. R., Kish, J., & Rockstroh, J. M. 1973a, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, 760
- Webber, W. R., Kish, J., & Simpson, G. 1979, in International Cosmic Ray Conference, Vol. 1, International Cosmic Ray Conference, 430
- Webber, W. R., Kish, J. C., & Schrier, D. A. 1985a, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, ed. F. C. Jones, 16–19
- Webber, W. R., Kish, J. C., & Schrier, D. A. 1985b, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, ed. F. C. Jones, 88–91
- Webber, W. R., Lezniak, J. A., & Damle, S. V. 1973b, *J. Geophys. Res.*, 78, 1487
- Webber, W. R., Lezniak, J. A., Kish, J., & Damle, S. V. 1973c, *Ap&SS*, 24, 17
- Webber, W. R., Lukasiak, A., & McDonald, F. B. 1997, *ApJ*, 476, 766
- Webber, W. R., Lukasiak, A., McDonald, F. B., & Ferrando, P. 1996, *ApJ*, 457, 435
- Webber, W. R. & McDonald, F. B. 1994, *ApJ*, 435, 464
- Webber, W. R. & Schofield, N. J. 1975, in International Cosmic Ray Conference, Vol. 1, International Cosmic Ray Conference, 312–317
- Webber, W. R. & Yushak, S. M. 1983, *ApJ*, 275, 391
- Westphal, A. J., Afanasyev, V. G., Price, P. B., et al. 1996, *ApJ*, 468, 679
- Wiedenbeck, M. E. 1983, in International Cosmic Ray Conference, Vol. 9, International Cosmic Ray Conference, 147–150
- Wiedenbeck, M. E., Binns, W. R., Christian, E. R., et al. 1999, *ApJ*, 523, L61
- Wiedenbeck, M. E. & Greiner, D. E. 1980, *ApJ*, 239, L139
- Wiedenbeck, M. E. & Greiner, D. E. 1981a, *ApJ*, 247, L119
- Wiedenbeck, M. E. & Greiner, D. E. 1981b, *Physical Review Letters*, 46, 682
- Xiong, Z., Chen, H., Yang, C., et al. 2003, *Journal of High Energy Physics*, 11, 48
- Yanasak, N. E., Wiedenbeck, M. E., Mewaldt, R. A., et al. 2001, *ApJ*, 563, 768
- Yoon, Y. S., Ahn, H. S., Allison, P. S., et al. 2011, *ApJ*, 728, 122
- Yoshida, K., Torii, S., Yamagami, T., et al. 2008, *Advances in Space Research*, 42, 1670
- Young, J. S., Freier, P. S., Waddington, C. J., Brewster, N. R., & Fickle, R. K. 1981, *ApJ*, 246, 1014
- Zatsepin, V. I., Zamchalova, E. A., Varkovitskaya, A. Y., et al. 1993, in International Cosmic Ray Conference, Vol. 2, International Cosmic Ray Conference, 13